



✓ Š izbrani izdelek.



ASUS BREŽIČNA AX6600 WIFI 6 DOSTOPNA TOČKA ZENWIFI XT8 - 2 PACK

ŠIFRA: ASUNC-XT8_2PK

375.99€

XT8 (W-2-PK) ASUS 4718017579117

DODATNE INFORMACIJE

Weight 3.1000 kg

**Garancija
mesecih** 36 mesecev

Proizvajalec ASUS



Zaloga: 2 na zalogi

Kategorije: [Mrežna oprema](#), [Usmerjevalniki](#)



OPIS IZDELKA

Podprti standardi: IEEE 802.11a, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.11ac, IEEE 802.11ax, IPv4, IPv6

Frekvenca:

2.4GHz 2x2



5GHz-1 2x2
Vaš izbrani izdelek.
5GHz-2 4x4

Hitrost: žična - 10/100/1000Mbps, brezžična - do 574+1201+4804Mbps

Antena: Interna dual-band antena x 6

Zaščite: WPA2-PSK, WPA-PSK, WPA-Enterprise , WPA2-Enterprise , WPS support

Priključki:

RJ45 for 2.5G BaseT for WAN x 1, RJ45 for Gigabits BaseT for LAN x 3

USB 3.1 Gen 1 x 1

Funkcije: AiMesh, Primary AiMesh router, AiMesh node, ASUS Router APP, Support Alexa skill, AiProtection Classic, Malicious site blocking, Infected Device Prevention and Blocking, Parental Control

Dimenzije:

Teža: 716g

Dodatno:

Adaptive QoS

Traffic Monitor

Traffic Analyzer

IPv6

Wi-Fi Encryption : WPA2-PSK, WPA-PSK, WPA-Enterprise , WPA2-Enterprise , WPS support

UTF-8 SSID

Guest Network

Maximum Guest Network rule : Max 9 rules

WPS

WiFi MAC address filter

Maximum MAC filters : Max 64 rules

Wireless scheduler

Airtime fairness

RADIUS Client

Universal beamforming

Explicit beamforming

Dual WAN

3G/4G LTE dongle

DMZ

DDNS

Let's Encrypt

Safe browsing



DNS-over-TLS
Vaš izbrani izdelek.
IGMP snooping

IPTV

VPN Client L2TP

VPN Client OVPN

VPN Client PPTP

VPN Client WireGuard

VPN Server IPsec

VPN Server OVPN

VPN Server PPTP

VPN Fusion

VPN Server WireGuard

File System : FS_Tuxera_HFS+, FS_Tuxera_NTFS, FS_Tuxera_vFAT, FS_ext2, FS_ext3, FS_ext4

AiCloud

Download master

AiDisk

Media Server

Time Machine

Samba Server

Operating mode : Wireless router mode

Range extender mode

Access point mode

Firewall

Maximum Firewall keyword filter : Max 64 rules

Maximum Firewall network service filter : Max 32 rules

Maximum Firewall URL filter : Max 64 rules

Wake on LAN (WOL)

Diagnosis tools

Feedback system

System log

New Device Connect Notification

Login Captcha

Connection Diagnosis

Security Scan

Auto Firmware Update