



Vaš izbrani izdelavec




## ASUS PRIME B650M-A II-CSM, DDR5, SATA3, USB3.2GEN2, DP, 2.5GBE, AM5 MATX

ŠIFRA: ASUMB-PRIMEB650MACSM  
167.99€

PRIME B650M-A II-CSM ASUS 4711387025543


### DODATNE INFORMACIJE

<b>Weight</b>	1.1000 kg
<b>Dimensions</b>	5.5 × 27 × 27 cm
<b>Garancija mesecih</b>	36 mesecev
<b>Proizvajalec</b>	ASUS



**Zaloga:** 4 na zalogi

**Kategorije:** [Osnovne plošče](#), [Računalniške komponente](#),  
[Računalništvo](#)



## OPIS IZDELKA

**PODNOŽJE:** AMD AM5

**ZA PROCESORJE:** AMD RYZEN 7000 Series

**FORMAT:** ATX format 24.4 cm x 24.4 cm

**VEZNI ČIP:** AMD B650

**POMNILNIK:**

4 x DDR5 DIMM ECC and Non-ECC, Un-buffered Memory

7600(OC)/7200(OC)/7000(OC)/6800(OC)/6600(OC)/6400(OC)/6200(OC)/6000(OC)/5800(OC)/5600(OC)  
/5400(OC)/5200/5000/4800MHz (odvisno od procesorja) do skupno 192GB kapacitete, dual channel in  
EXTended Profiles for Overclocking, OptiMem II podpora

**GRAFIKA:** DA - preko APU

**RAID:** DA (0,1,10)

**RAZŠIRITVENE REŽE:**

1 x PCI Express 3.0/4.0 x16

1 x PCI Express 3.0/4.0 x8/x4

2 x PCI Express 3.0/4.0 x1

**MREŽNA KARTICA:** Realtek 2.5GbE LAN chip (10/100/1000Mbit/2.5Gbit)

**ZVOČNA KARTICA:** Realtek Audio codec High Definition Audio (2/4/5.1/7.1-channel)

**NOTRANJI PRIKLJUČKI:**

Fan and Cooling related

1 x 4-pin CPU Fan header

1 x 4-pin CPU OPT Fan header



3 x 4-pin Chassis Fan headers

Vaš izbrani izdelek.

Power related

1 x 24-pin Main Power connector

1 x 8-pin +12V Power connector

Storage related

2 x M.2 slots (Key M)

4 x SATA 6Gb/s ports

USB

1 x USB 3.2 Gen 1 connector (supports USB Type-C® )

1 x USB 3.2 Gen 1 header supports 2 additional USB 3.2 Gen 1 ports

2 x USB 2.0 headers support 4 additional USB 2.0 ports

Miscellaneous

3 x Addressable Gen 2 headers

1 x Aura RGB header

1 x Clear CMOS header

1 x COM Port header

1 x Front Panel Audio header (AAFP)

1 x S/PDIF Out header

1 x Speaker header

1 x SPI TPM header (14-1pin)

1 x 10-1 pin System Panel header

**ZUNANJI PRIKLJUČKI:**

2 x USB 3.2 Gen 2 ports (2 x Type-A)

2 x USB 3.2 Gen 1 ports (2 x Type-A)

4 x USB 2.0 ports (4 x Type-A)

1 x DisplayPort

1 x VGA port

1 x HDMI® port

1 x Realtek 2.5Gb Ethernet port

3 x Audio jacks

1 x BIOS FlashBack™ button

1 x PS/2 Keyboard/Mouse combo port

**DODATNO:**

Fan and Cooling related

1 x 4-pin CPU Fan header

1 x 4-pin CPU OPT Fan header



3 x 4-pin Chassis Fan headers

Vaš izbrani izdelek.

Power related

1 x 24-pin Main Power connector

1 x 8-pin +12V Power connector

Storage related

2 x M.2 slots (Key M)

4 x SATA 6Gb/s ports

USB

1 x USB 3.2 Gen 1 connector (supports USB Type-C® )

1 x USB 3.2 Gen 1 header supports 2 additional USB 3.2 Gen 1 ports

2 x USB 2.0 headers support 4 additional USB 2.0 ports

Miscellaneous

3 x Addressable Gen 2 headers

1 x Aura RGB header

1 x Clear CMOS header

1 x COM Port header

1 x Front Panel Audio header (AAFP)

1 x S/PDIF Out header

1 x Speaker header

1 x SPI TPM header (14-1pin)

1 x 10-1 pin System Panel header

Special Features

ASUS 5X PROTECTION III

- DIGI+ VRM

- LANGuard

- Overvoltage Protection

- Safeslot Core+

- Stainless-Steel Back I/O

ASUS Q-Design

- Q-DIMM

- Q-LED Core

- Q-Slot

ASUS Thermal Solution

- VRM heatsink design

ASUS EZ DIY

- BIOS FlashBack™ button

- BIOS FlashBack™ LED



### Aura Sync

Vas izbrani izdelek.

- Aura RGB header
- Addressable Gen 2 headers

### Software Features

#### ASUS Exclusive Software

#### Armoury Crate

- Aura Creator
- Aura Sync
- Fan Xpert 2+
- Power Saving

#### AI Suite 3

- TurboV EVO
- DIGI+ VRM
- PC Cleaner

#### ASUS CPU-Z

Norton Anti-virus software (Free Trial version)

#### WinRAR

#### UEFI BIOS

#### ASUS EZ DIY

- ASUS CrashFree BIOS 3
- ASUS EZ Flash 3
- ASUS UEFI BIOS EZ Mode

Spletna stran proizvajalca:

<https://www.asus.com/motherboards-components/motherboards/csm/prime-b650m-a-ii-csm/>