



✓ Š izbrani izdelek.



## ASUS PRIME Z790-A WIFI, DDR5, SATA3, USB3.2GEN2X2, DP, 2.5GBE, WIFI 6E, LGA1700 ATX

ŠIFRA: ASUMB-I\_PRIMEZ790AW

**280.99€**

PRIME Z790-A WIFI ASUS 4711081939320

### DODATNE INFORMACIJE

**Weight** 1.5000 kg

**Garancija  
mesecev** 36 mesecev

**Proizvajalec** ASUS



**Zaloga:** 1 na zalogi

**Kategorije:** [Osnovne plošče](#), [Računalniške komponente](#),  
[Računalništvo](#)



### OPIS IZDELKA

**PODNOŽJE:** INTEL LGA1700

**ZA PROCESORJE:** Intel 12/13th Generation Core™ i7/i5/i3/Pentium/Celeron



**FORMAT:** ATX Form Factor 30.5 x 24.4 cm

Vaš izbrani izdelek.

**VEZNI ČIP:** Intel Z790 Express

**POMNILNIK:**

4 x DDR5

(7200+(OC)/7000(OC)/6800(OC)/6600(OC)/6400(OC)/6200(OC)/6000(OC)/5800(OC)/5600/5400/5200/  
5000/4800MHz) do skupno 128GB kapacitete, dual channel in Extreme Memory Profile

(XMP) OptiMem II podpora

**GRAFIKA:** preko CPU

**RAID:** DA (0,1,5,10)

**RAZŠIRITVENE REŽE:**

1 x PCIe 5.0/4.0/3.0 x16 (x16 mode)

1 x PCIe 4.0 x16 slot (supports x4 mode)

1 x PCIe 4.0 x4 slot

2 x PCIe 3.0 x1 slots

**MREŽNA KARTICA:** Intel 2.5GbE LAN chip ASUS LANGuard (2.5 Gbps/1 Gbps/100 Mbps) + Wi-Fi 6E  
2x2 WIFI a, b, g, n, ac, ax, supporting 2.4/5/6 GHz + BLUETOOTH 5.3

**ZVOČNA KARTICA:** Realtek S1220A High Definition Audio Audio CODEC

**NOTRANJI PRIKLJUČKI:**

Fan and Cooling related

1 x 4-pin CPU Fan header

1 x 4-pin CPU OPT Fan header

1 x 4-pin AIO Pump header

4 x 4-pin Chassis Fan headers

Power related

1 x 24-pin Main Power connector

2 x 8-pin +12V Power connectors

Storage related

4 x M.2 slots (Key M)

4 x SATA 6Gb/s ports

USB

1 x USB 3.2 Gen 2 connector (supports USB Type-C® )

1 x USB 3.2 Gen 1 header supports 2 additional USB 3.2 Gen 1 ports

2 x USB 2.0 headers support 4 additional USB 2.0 ports

Miscellaneous

3 x Addressable Gen 2 headers

1 x Aura RGB header

1 x Clear CMOS header



- 1 x COM Port header
- Vaš izbrani izdelek.
- 1 x CPU Over Voltage jumper
- 1 x Front Panel Audio header (AAFP)
- 1 x Power button
- 1 x SPI TPM header (14-1pin)
- 1 x 20-3 pin System Panel header with Chassis intrude function
- 1 x Thunderbolt™ header

#### **ZUNANJI PRIKLJUČKI:**

- 1 x USB 3.2 Gen 2x2 port (1 x USB Type-C®)
- 3 x USB 3.2 Gen 2 ports (2 x Type-A, 1 x Type-C®)
- 4 x USB 3.2 Gen 1 ports (4 x Type-A)
- 1 x DisplayPort
- 1 x HDMI® port
- 1 x Wi-Fi Module
- 1 x Intel® 2.5Gb Ethernet port
- 3 x Audio jacks

#### **DODATNO:**

##### ASUS 5X PROTECTION III

- DIGI+ VRM (- Digital power design with DrMOS)
- ESD Guards
- LANGuard
- Overvoltage Protection
- Safeslot
- Stainless-Steel Back I/O

##### ASUS Q-Design

- M.2 Q-Latch
- PCIe Slot Q-Release
- Q-Connector
- Q-DIMM
- Q-LED (CPU [red], DRAM [yellow], VGA [white], Boot Device [yellow green])
- Q-Slot

##### ASUS Thermal Solution

- M.2 heatsink
- VRM heatsink design

##### ASUS EZ DIY

- Box Headers



- Clear CMOS button

Vaš izbrani izdelek.

- CPU Socket lever protector

- ProCool

- Pre-mounted I/O shield

- SafeDIMM

Aura Sync

- Aura RGB header

- Addressable Gen 2 headers

Software Features

ASUS Exclusive Software

Armoury Crate

- Aura Creator

- Aura Sync

- Fan Xpert 4 (with AI Cooling II)

- Power Saving

- Two-Way AI Noise Cancellation

AI Suite 3

- TurboV EVO

- DIGI+ VRM

- PC Cleaner

ASUS CPU-Z

DTS:X® Ultra

MyASUS

Norton 360 Deluxe (60 Days Free Trial)

WinRAR

UEFI BIOS

ASUS EZ DIY

- ASUS CrashFree BIOS 3

- ASUS EZ Flash 3

- ASUS UEFI BIOS EZ Mode

MemTest86

Spletna stran

proizvajalca: <https://www.asus.com/motherboards-components/motherboards/prime/prime-z790-a-wifi/>