



✓ Š izbrani izdelek.



## GIGABYTE B650M DS3H, DDR5, SATA3, USB3.2GEN2, DP, 2.5GBE, AM5 MATX

ŠIFRA: GIGMB-B650M\_DS3H

**186.99€**


B650M DS3H GIGABYTE 4719331849825

### DODATNE INFORMACIJE

**Weight** 1.0000 kg

**Garancija  
mesecih** 36 mesecev

**Proizvajalec** GIGABYTE



**Zaloga:** 7 na zalogi

**Kategorije:** [Osnovne plošče](#), [Računalniške komponente](#),  
[Računalništvo](#)



### OPIS IZDELKA

**PODNOŽJE:** AMD AM5

**ZA PROCESORJE:** AMD RYZEN 7000 Series

**FORMAT:** mATX format 24.4 cm x 24.4 cm



**VEZNI ČIP:** AMD B650

Vaš izbrani izdelek.

**POMNILNIK:**

4 x DDR5 DIMM non-ECC 6400(OC) / 6200(OC) / 6000(OC) / 5600(OC) / 5200 / 4800 / 4400MHz (odvisno od procesorja) do skupno 128GB kapacitete, dual channel in EXTENDED Profiles for Overclocking, Extreme Memory Profile (XMP) podpora

**GRAFIKA:** DA - preko APU

**RAID:** DA (0,1,10)

**RAZŠIRITVENE REŽE:**

1 x PCI Express 3.0/4.0 x16

1 x PCI Express 3.0 x1

**MREŽNA KARTICA:** Realtek 2.5GbE LAN chip (10/100/1000Mbit/2.5Gbit)

**ZVOČNA KARTICA:** Realtek Audio codec High Definition Audio (2/4/5.1/7.1-channel)

**NOTRANJI PRIKLJUČKI:**

1 x 24-pin ATX main power connector

1 x 8-pin ATX 12V power connector

1 x CPU fan header

3 x system fan headers

1 x addressable LED strip header

1 x RGB LED strip header

2 x M.2 Socket 3 connectors

4 x SATA 6Gb/s connectors

1 x front panel header

1 x front panel audio header

1 x USB Type-C® header, with USB 3.2 Gen 2 support

1 x USB 3.2 Gen 1 header

2 x USB 2.0/1.1 headers

1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0 module only)

1 x serial port header

1 x reset button

1 x reset jumper

1 x Clear CMOS jumper

**ZUNANJI PRIKLJUČKI:**

4 x USB 2.0/1.1 ports

1 x PS/2 keyboard/mouse port

2 x DisplayPorts

1 x HDMI port

1 x USB 3.2 Gen 2 Type-A port (red)



1 x USB Type-C® port, with USB 3.2 Gen 2 support

Vaš izbrani izdelek.

1 x Q-Flash Plus button

1 x RJ-45 port

2 x USB 3.2 Gen 1 ports

3 x audio jacks

**DODATNO:**

iTE® I/O Controller Chip

H/W Monitoring

Voltage detection

Temperature detection

Fan speed detection

Fan fail warning

Fan speed control

BIOS

1 x 256 Mbit flash

Use of licensed AMI UEFI BIOS

PnP 1.0a, DMI 2.7, WfM 2.0, SM BIOS 2.7, ACPI 5.0

Unique Features

Support for GIGABYTE Control Center (GCC)

Support for Q-Flash

Support for Q-Flash Plus

Bundled Software

Norton® Internet Security (OEM version)

LAN bandwidth management software

Spletna stran proizvajalca: <https://www.gigabyte.com/Motherboard/B650M-DS3H-rev-10#kf>