



✓ Š izbrani izdelek.



GIGABYTE B760 AORUS ELITE AX, DDR5, SATA3, USB3.2GEN2, DP, WIFI 6E, LGA1700 ATX

ŠIFRA: GIGMB-B760AORUSEAX
243.99€

B760 AORUS ELITE AX GIGABYTE 4719331851750

DODATNE INFORMACIJE

Weight	1.1000 kg
Garancija mesecih	36 mesecev
Proizvajalec	GIGABYTE



Zaloga: 2 na zalogi

Kategorije: [Osnovne plošče](#), [Računalniške komponente](#), [Računalništvo](#)



OPIS IZDELKA

PODNOŽJE: INTEL LGA 1700

ZA PROCESORJE: 13th/12th Generation Core i7/i5/i3/Pentium/Celeron

FORMAT: ATX format 30.5 cm x 24.4 cm



VEZNI ČIP: INTEL B760

Vaš izbrani izdelek.

POMNILNIK:

4 x DDR5 DIMM ECC/non-ECC 7600(O.C.) / 7400(O.C.) / 7200(O.C.) / 7000(O.C.) / 6800(O.C.) / 6600(O.C.) / 6400(O.C.) / 6200(O.C.) / 6000(O.C.) / 5800(O.C.) / 5600(O.C.) / 5400(O.C.) / 5200(O.C.) / 4800 / 4000MHz) do skupno 192GB kapacitete, dual channel in XMP podpora

GRAFIKA: DA - preko CPU

RAID: RAID 0, RAID 1, RAID 5, and RAID 10

RAZŠIRITVENE REŽE:

1 x PCI Express 4.0/3.0 x16

2 x PCI Express 4.0/3.0 x1

MREŽNA KARTICA: Realtek 2.5GbE LAN chip + Intel Wi-Fi 6E AX211 WIFI a, b, g, n, ac, ax + BLUETOOTH 5.3

ZVOČNA KARTICA: Realtek codec High Definition Audio (2/4/5.1/7.1-channel)

NOTRANJI PRIKLJUČKI:

1 x 24-pin ATX main power connector

1 x 8-pin ATX 12V power connector

1 x 4-pin ATX 12V power connector

1 x CPU fan header

1 x CPU fan/water cooling pump header

3 x system fan headers

1 x system fan/water cooling pump header

2 x addressable LED strip headers

2 x RGB LED strip headers

3 x M.2 Socket 3 connectors

4 x SATA 6Gb/s connectors

1 x front panel header

1 x front panel audio header

1 x USB Type-C® header, with USB 3.2 Gen 2 support

1 x USB 3.2 Gen 1 header

2 x USB 2.0/1.1 headers

1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0 module only)

1 x reset button

1 x Q-Flash Plus button

1 x reset jumper

1 x Clear CMOS jumper

ZUNANJI PRIKLJUČKI:

1 x USB Type-C® port, with USB 3.2 Gen 2 support



1 x USB 3.2 Gen 2 Type-A port (red)

Vaš izbrani izdelek.

4 x USB 3.2 Gen 1 ports

4 x USB 2.0/1.1 ports

2 x SMA antenna connectors (2T2R)

1 x HDMI port

1 x DisplayPort

1 x RJ-45 port

1 x optical S/PDIF Out connector

2 x audio jacks

DODATNO:

iTE® I/O Controller Chip

H/W Monitoring

Voltage detection

Temperature detection

Fan speed detection

Water cooling flow rate detection

Fan fail warning

Fan speed control

BIOS

1 x 256 Mbit flash

Use of licensed AMI UEFI BIOS

PnP 1.0a, DMI 2.7, WfM 2.0, SM BIOS 2.7, ACPI 5.0

Unique Features

Support for GIGABYTE Control Center (GCC)

Support for Q-Flash

Support for Q-Flash Plus

Bundled Software

Norton® Internet Security (OEM version)

LAN bandwidth management software

Spletna stran proizvajalca: <https://www.gigabyte.com/Motherboard/B760-AORUS-ELITE-AX-rev-1x#kf>