




Vaš izbrani izdelek.



GIGABYTE B760 DS3H AX, DDR5, SATA3, USB3.2GEN2, DP, WIFI, LGA1700 ATX

ŠIFRA: GIGMB-B760DS3HAX
183.99€

B760 DS3H AX GIGABYTE 4719331852757

DODATNE INFORMACIJE

Weight 1.5000 kg

Dimensions 5 x 30 x 30 cm




**Garancija
mesecih** 36 mesecev

Proizvajalec GIGABYTE



Zaloga: 10 na zalogi

Kategorije: [Osnovne plošče](#), [Računalniške komponente](#),
[Računalništvo](#)





Vaš izbrani izdelek.



OPIS IZDELKA

PODNOŽJE: INTEL LGA 1700

ZA PROCESORJE: 13th/12th Generation Core i7/i5/i3/Pentium/Celeron

FORMAT: ATX format 30.5 cm x 24.4 cm

VEZNI ČIP: INTEL B760

POMNILNIK:

4 x DDR5 DIMM ECC/non-ECC 7600(O.C.) /7400(O.C.) /7200(O.C.) /7000(O.C.) /6800(O.C.) /6600(O.C.) / 6400(O.C.) / 6200(O.C.) / 6000(O.C.) / 5800(O.C.) / 5600(O.C.) / 5400(O.C.) / 5200(O.C.) / 4800 / 4000MHz) do skupno 192GB kapacitete, dual channel in XMP podpora

GRAFIKA: DA - preko CPU

RAID: RAID 0, RAID 1, RAID 5, and RAID 10

RAZŠIRITVENE REŽE:

1 x PCI Express 4.0/3.0 x16

4 x PCI Express 3.0 x1

MREŽNA KARTICA: Realtek 2.5GbE LAN chip + Intel Wi-Fi 6E AX211 WIFI a, b, g, n, ac, ax, supporting 2.4/5/6 GHz + BLUETOOTH 5.3

ZVOČNA KARTICA: Realtek codec High Definition Audio (2/4/5.1/7.1-channel)

NOTRANJI PRIKLJUČKI:

1 x 24-pin ATX main power connector

1 x 8-pin ATX 12V power connector

1 x CPU fan header

1 x CPU fan/water cooling pump header

3 x system fan headers

1 x system fan/water cooling pump header

2 x addressable LED strip headers

2 x RGB LED strip headers



2 x M.2 Socket 3 connectors

Vaš izbrani izdelek.

4 x SATA 6Gb/s connectors

1 x front panel header

1 x front panel audio header

1 x S/PDIF Out header

1 x USB Type-C® header, with USB 3.2 Gen 1 support

1 x USB 3.2 Gen 1 header

2 x USB 2.0/1.1 headers

1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0 module only)

1 x serial port header

1 x Q-Flash Plus button

1 x reset button

1 x reset jumper

1 x Clear CMOS jumper

ZUNANJI PRIKLJUČKI:

1 x PS/2 keyboard/mouse port

2 x SMA antenna connectors (2T2R)

1 x USB Type-C® port, with USB 3.2 Gen 2x2 support

1 x USB 3.2 Gen 2 Type-A port (red)

4 x USB 2.0/1.1 ports

1 x HDMI port

1 x DisplayPort

1 x RJ-45 port

3 x audio jacks

DODATNO:

iTE® I/O Controller Chip

H/W Monitoring

Voltage detection

Temperature detection

Fan speed detection

Water cooling flow rate detection

Fan fail warning

Fan speed control

BIOS

1 x 128 Mbit flash

Use of licensed AMI UEFI BIOS



PnP 1.0a, DMI 2.7, WfM 2.0, SM BIOS 2.7, ACPI 5.0

Vaš izbrani izdelek.

Unique Features

Support for GIGABYTE Control Center (GCC)

Support for Q-Flash

Support for Q-Flash Plus

Bundled Software

Norton® Internet Security (OEM version)

LAN bandwidth management software

Spletna stran proizvajalca: <https://www.gigabyte.com/Motherboard/B760-DS3H-AX-rev-1x#kf>