



Vaš izbrani izdelek.




GIGABYTE B760M AORUS ELITE AX, DDR5, SATA3, USB3.2GEN2X2, DP, WIFI 6E, LGA1700 MATX

ŠIFRA: GIGMB-B760MAORUSEAX1
203.99€

B760M AORUS ELITE AX GIGABYTE 4719331851309


DODATNE INFORMACIJE


Weight	1.1000 kg
Dimensions	7 × 26.5 × 26.5 cm
Garancija mesecih	36 mesecev
Proizvajalec	GIGABYTE



Zaloga: 1 na zalogi

Kategorije: [Osnovne plošče](#), [Računalniške komponente](#),
[Računalništvo](#)





OPIS IZDELKA

PODNOŽJE: INTEL LGA 1700

ZA PROCESORJE: 13th/12th Generation Core i7/i5/i3/Pentium/Celeron

FORMAT: mATX format 24.4 cm x 24.4 cm

VEZNI ČIP: INTEL B760

POMNILNIK:

4 x DDR5 DIMM ECC/non-ECC 7600(O.C.) / 7400(O.C.) / 7200(O.C.) / 7000(O.C.) / 6800(O.C.) / 6600(O.C.) / 6400(O.C.) / 6200(O.C.) / 6000(O.C.) / 5800(O.C.) / 5600(O.C.) / 5400(O.C.) / 5200(O.C.) / 4800 / 4000MHz) do skupno 192GB kapacitete, dual channel in XMP podpora

GRAFIKA: DA - preko CPU

RAID: RAID 0, RAID 1, RAID 5, and RAID 10

RAZŠIRITVENE REŽE:

1 x PCI Express 4.0/3.0 x16

1 x PCI Express 4.0/3.0 x4

MREŽNA KARTICA: Realtek 2.5GbE LAN chip + Intel Wi-Fi 6E AX211 WIFI a, b, g, n, ac, ax + BLUETOOTH 5.3

ZVOČNA KARTICA: Realtek codec High Definition Audio (2/4/5.1/7.1-channel)

NOTRANJI PRIKLJUČKI:

1 x 24-pin ATX main power connector

1 x 8-pin ATX 12V power connector

1 x 4-pin ATX 12V power connector

1 x CPU fan header

3 x system fan headers

2 x addressable LED strip headers

2 x RGB LED strip headers

2 x M.2 Socket 3 connectors



4 x SATA 6Gb/s connectors

Vaš izbrani izdelek:

1 x front panel header

1 x front panel audio header

1 x USB Type-C® header, with USB 3.2 Gen 2 support

1 x USB 3.2 Gen 1 header

2 x USB 2.0/1.1 headers

2 x Thunderbolt™ add-in card connectors

1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0 module only)

1 x Q-Flash Plus button

1 x reset button

1 x reset jumper

1 x Clear CMOS jumper

ZUNANJI PRIKLJUČKI:

2 x SMA antenna connectors (2T2R)

1 x USB Type-C® port, with USB 3.2 Gen 2x2 support

1 x USB 3.2 Gen 2 Type-A port (red)

3 x USB 3.2 Gen 1 ports

4 x USB 2.0/1.1 ports

1 x HDMI port

1 x DisplayPort

1 x RJ-45 port

1 x optical S/PDIF Out connector

2 x audio jacks

DODATNO:

ITE® I/O Controller Chip

H/W Monitoring

Voltage detection

Temperature detection

Fan speed detection

Water cooling flow rate detection

Fan fail warning

Fan speed control

BIOS

1 x 256 Mbit flash

Use of licensed AMI UEFI BIOS

PnP 1.0a, DMI 2.7, WfM 2.0, SM BIOS 2.7, ACPI 5.0



Unique Features

Vas izbrani izdelek.

Support for GIGABYTE Control Center (GCC)

Support for Q-Flash

Support for Q-Flash Plus

Bundled Software

Norton® Internet Security (OEM version)

LAN bandwidth management software

Spletna stran

proizvajalca: <https://www.gigabyte.com/Motherboard/B760M-AORUS-ELITE-AX-rev-1x#kf>