




Vaš izbrani izdelek.




GIGABYTE B760M DS3H AX DDR4, DDR4, SATA3, USB3.2GEN2, DP, WIFI, LGA1700 MATX

ŠIFRA: GIGMB-B760MDS3HAXD4_
141.99€

B760M DS3H AX DDR4 GIGABYTE 4719331850869




DODATNE INFORMACIJE

Weight	1.1000 kg
Dimensions	26.5 × 7 × 7 cm
Garancija mesecih	36 mesecev
Proizvajalec	GIGABYTE



Zaloga: 10 na zalogi

Kategorije: [Osnovne plošče](#), [Računalniške komponente](#),
[Računalništvo](#)



Vaš novi izdelek.



OPIS IZDELKA

PODNOŽJE: INTEL LGA 1700

ZA PROCESORJE: 13th/12th Generation Core i7/i5/i3/Pentium/Celeron

FORMAT: mATX format 24.4 cm x 24.4 cm

VEZNI ČIP: INTEL B760

POMNILNIK:

4 x DDR4 DIMM ECC/non-ECC 5333(O.C.)/ 5133(O.C.)/ 5000(O.C.)/ 4933(O.C.)/ 4800(O.C.)/ 4700(O.C.)/ 4600(O.C.)/ 4500(O.C.)/ 4400(O.C.)/ 4300(O.C.)/ 4266(O.C.)/ 4133(O.C.)/ 4000(O.C.)/ 3866(O.C.)/ 3800(O.C.)/ 3733(O.C.)/ 3666(O.C.)/ 3600(O.C.)/ 3466(O.C.)/ 3400(O.C.)/ 3333(O.C.)/ 3300(O.C.)/ 3200/ 3000/ 2933/ 2666/ 2400/ 2133MHz) do skupno 128GB kapacitete, dual channel in XMP podpora

GRAFIKA: DA - preko CPU

RAID: RAID 0, RAID 1, RAID 5, and RAID 10

RAZŠIRITVENE REŽE:

1 x PCI Express 4.0/3.0 x16

2 x PCI Express 3.0 x1

MREŽNA KARTICA: Realtek 2.5GbE LAN chip + AMD Wi-Fi 6E RZ608 (MT7921K) WIFI a, b, g, n, ac, ax + BLUETOOTH 5.2

ZVOČNA KARTICA: Realtek codec High Definition Audio (2/4/5.1/7.1-channel)

NOTRANJI PRIKLJUČKI:

1 x 24-pin ATX main power connector

1 x 8-pin ATX 12V power connector

1 x CPU fan header

3 x system fan headers

1 x addressable LED strip header

1 x RGB LED strip header



2 x M.2 Socket 3 connectors

Vaš izbrani izdelek.

4 x SATA 6Gb/s connectors

1 x front panel header

1 x front panel audio header

1 x USB 3.2 Gen 1 header

2 x USB 2.0/1.1 headers

1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0 module only)

1 x S/PDIF Out header

1 x Q-Flash Plus button

1 x reset button

1 x reset jumper

1 x Clear CMOS jumper

ZUNANJI PRIKLJUČKI:

2 x USB 2.0/1.1 ports

1 x PS/2 keyboard/mouse port

2 x SMA antenna connectors (2T2R)

1 x HDMI port

2 x DisplayPorts

3 x USB 3.2 Gen 1 ports

1 x USB Type-C® port, with USB 3.2 Gen 2 support

1 x RJ-45 port

3 x audio jacks

DODATNO:

iTE® I/O Controller Chip

H/W Monitoring

Voltage detection

Temperature detection

Fan speed detection

Water cooling flow rate detection

Fan fail warning

Fan speed control

BIOS

1 x 128 Mbit flash

Use of licensed AMI UEFI BIOS

PnP 1.0a, DMI 2.7, WfM 2.0, SM BIOS 2.7, ACPI 5.0

Unique Features



Support for GIGABYTE Control Center (GCC)

Vas izbrani izdelek

Support for Q-Flash

Support for Q-Flash Plus

Bundled Software

Norton® Internet Security (OEM version)

LAN bandwidth management software

Spletna stran proizvajalca: <https://www.gigabyte.com/Motherboard/B760M-DS3H-AX-DDR4-rev-1x#kf>