



✓ Š izbrani izdelek.




GIGABYTE Z690M DS3H DDR4, DDR4, SATA3, USB3.2GEN2, DP, 2.5GBE, LGA1700 MATX

ŠIFRA: GIGMB-Z690M_DS3HD4
167.99€

Z690M DS3H DDR4 GIGABYTE 4719331830625

DODATNE INFORMACIJE

Weight	1.0000 kg
Garancija mesecih	36 mesecev
Proizvajalec	GIGABYTE



Zaloga: 2 na zalogi

Kategorije: [Osnovne plošče](#), [Računalniške komponente](#),
[Računalništvo](#)



OPIS IZDELKA

PODNOŽJE: INTEL LGA1700

ZA PROCESORJE: Intel 12th Generation Core™ i7/i5/i3/Pentium/Celeron

FORMAT: mATX Form Factor 24.4 x 24.4 cm



VEZNI ČIP: Intel Z690 Express

Vaš izbrani izdelek.

POMNILNIK:

4 x DDR4 (5333(O.C.)/ DDR4 5133(O.C.)/DDR4 5000(O.C.)/4933(O.C.)/4800(O.C.)/ 4700(O.C.)/ 4600(O.C.)/ 4500(O.C.)/ 4400(O.C.)/ 4300(O.C.)/4266(O.C.) / 4133(O.C.) / 4000(O.C.) / 3866(O.C.) / 3800(O.C.) / 3733(O.C.) / 3666(O.C.) / 3600(O.C.) / 3466(O.C.) / 3400(O.C.) / 3333(O.C.) / 3300(O.C.) / 3200 / 3000 / 2933 / 2800 / 2666 / 2400 / 2133 MHz) do skupno 128GB kapacitete, dual channel in Extreme Memory Profile (XMP) podpora

GRAFIKA: preko CPU

RAID: DA (0,1,5,10)

RAZŠIRITVENE REŽE:

1 x PCIe 4.0/3.0 x16 (x16 mode)

2 x PCIe 3.0 x1

MREŽNA KARTICA: Realtek 2.5GbE LAN chip (2.5 Gbps/1 Gbps/100 Mbps)

ZVOČNA KARTICA: Realtek High Definition Audio Audio CODEC

NOTRANJI PRIKLJUČKI:

1 x 24-pin ATX main power connector

1 x 8-pin ATX 12V power connector

1 x CPU fan header

3 x system fan headers

1 x addressable LED strip header

1 x RGB LED strip header

2 x M.2 Socket 3 connectors

4 x SATA 6Gb/s connectors

1 x front panel header

1 x front panel audio header

1 x USB 3.2 Gen 1 header

2 x USB 2.0/1.1 headers

1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0 module only)

1 x serial port header

1 x parallel port header

1 x S/PDIF Out header

1 x Q-Flash Plus button

1 x reset button

1 x reset jumper

1 x Clear CMOS jumper

ZUNANJI PRIKLJUČKI:

2 x USB 2.0/1.1 ports



1 x PS/2 keyboard/mouse port
Vaš izbrani izdelek.
1 x D-Sub port
1 x HDMI 2.0 port
2 x DisplayPorts
3 x USB 3.2 Gen 1 ports
1 x USB Type-C® port, with USB 3.2 Gen 2 support
1 x RJ-45 port
3 x audio jacks

DODATNO:

iTE® I/O Controller Chip
H/W Monitoring
Voltage detection
Temperature detection
Fan speed detection
Fan fail warning
Fan speed control
BIOS
1 x 256 Mbit flash
Use of licensed AMI UEFI BIOS
PnP 1.0a, DMI 2.7, WfM 2.0, SM BIOS 2.7, ACPI 5.0
Unique Features
Support for APP Center
@BIOS
EasyTune
Fast Boot
Game Boost
ON/OFF Charge
RGB Fusion
Smart Backup
System Information Viewer
Support for Q-Flash Plus
Support for Q-Flash
Support for Xpress Install
Bundled Software
Norton® Internet Security (OEM version)
Realtek® Gaming LAN Bandwidth Control Utility



Spletna stran proizvajalca: <https://www.gigabyte.com/Motherboard/Z690M-DS3H-DDR4-rev-10#kf>
Vaš izbrani izdelek.