



Š izbrani izdelek.



MIKROTIK BREZŽIČNI USMERJEVALNIK AC CHATEAU LTE12

ŠIFRA: MITIK-0081

230.99€

5HACD2HND-TC&EG12-EA MIKROTIK 4752224003546

DODATNE INFORMACIJE

Weight	0.9000 kg
Dimensions	4.4 × 24 × 24 cm
Garancija mesecih	12 mesecev
Proizvajalec	MIKROTIK



Zaloga: 2 na zalogi

Kategorije: [Mrežna oprema](#), [Usmerjevalniki](#)



OPIS IZDELKA

Hitra, dvopasovna domača dostopna točka s CAT12 LTE – za res hiter internet kjer koli in kadarkoli. LTE ni edina možnost – Chateau ima tudi 5 x Gigabit Ethernet vrata in USB vrata polne velikosti. Močna dvo-verižna dvopasovna brezžična povezava 2,4/5 GHz za sočasno pokritost bo rešila večino



težav z motnjami v prenatrpanem okolju.

Vaš izbrani izdelek.

Odjemalec lahko na primer istočasno uporablja 2,4 GHz kanal za vse gospodinjske mobilne naprave in rezervira 5 GHz kanal za opravila, ki so občutljiva na izgubo paketov – kot je pretakanje visokokakovostnih videoposnetkov.

Ne samo, da naša programska oprema RouterOS ponuja robustne varnostne možnosti, osredotočamo se tudi na varnost proizvodnje.

SPECIFIKACIJE:

Specifications	
Details	
Product code	RBD53G-5HacD2HnD-TC&EG12-EA
Architecture	ARM 32bit
CPU	IPQ-4019
CPU core count	4
CPU nominal frequency	716 MHz
Dimensions	240 x 156 x 44 mm
RouterOS license	4
Operating System	RouterOS (v7 only)
Size of RAM	256 MB
Storage size	16 MB
Storage type	FLASH
MTBF	Approximately 200'000 hours at 25C
Tested ambient temperature	-40°C to 70°C
IPsec hardware acceleration	Yes
Powering	
Details	
Number of DC inputs	1 (DC jack)
DC jack input Voltage	12-28 V
Max power consumption	23 W



Vaš

Max power consumption zbrani izdelek. without attachments	17 W
Cooling type	Passive
Mobile	
Details	
3G Category	R8 (42.2Mbps Downlink, 11.2Mbps Uplink)
3G bands	1 (2100MHz) / 5 (850MHz) / 8 (900MHz) / 3 (1800MHz)
LTE Category	12 (600Mbps Downlink, 150Mbps Uplink)
LTE FDD bands	1 (2100MHz) / 3 (1800MHz) / 5 (850MHz) / 7 (2600MHz) / 8 (900 MHz) / 20 (800MHz) / 28 (700MHz)
LTE TDD bands	38 (2600MHz) / 40 (2300MHz) / 41 (2500MHz)
Wireless specifications	
Details	
Wireless 2.4 GHz Max data rate	300 Mbit/s
Wireless 2.4 GHz number of chains	2
Wireless 2.4 GHz standards	802.11b/g/n
Antenna gain dBi for 2.4 GHz	3
Wireless 2.4 GHz chip model	IPQ-4019
Wireless 2.4 GHz generation	Wi-Fi 4
Wireless 5 GHz Max data rate	867 Mbit/s
Wireless 5 GHz number of chains	2
Wireless 5 GHz standards	802.11a/n/ac
Antenna gain dBi for 5 GHz	4
Wireless 5 GHz chip model	IPQ-4019



Vaš
izbrani izdelek

Wireless 5 GHz generation	Wi-Fi 5
Ethernet	
Details	
10/100/1000 Ethernet ports	5
Peripherals	
Details	
Number of SIM slots	1 Modem (Micro SIM)
Number of USB ports	1
USB Power Reset	Yes
USB slot type	USB type A
Max USB current (A)	1
Other	
Details	
Mode button	Yes
Certification & Approvals	
Details	
Certification	CE, EAC, ROHS
IP	IP20