



Š izbrani izdelek.



TP-LINK 300MBPS WIRELESS N STROPNA DOSTOPNA TOČKA

ŠIFRA: TPLNC-EAP110

36.99€

EAP110 TP-LINK 6935364091620

DODATNE INFORMACIJE

Weight	0.9800 kg
Dimensions	7.5 × 30.5 × 30.5 cm
Garancija mesecih	24 mesecev
Proizvajalec	TP-LINK



Zaloga: 4 na zalogi

Kategorije: [Mrežna oprema](#), [Usmerjevalniki](#)



OPIS IZDELKA

Wireless Standards
Frequency

WIRELESS FEATURES

IEEE 802.11n, IEEE 802.11g, IEEE 802.11b
2.4-2.4835GHz



Vaš izbrani izdelek.

	WIRELESS FEATURES
Signal Rate	11n: Up to 300Mbps(dynamic) 11g: Up to 54Mbps(dynamic) 11b: Up to 11Mbps(dynamic) 300M: -71dBm@10% PER 150M: -75dBm@10% PER
Reception Sensitivity	54M: -78dBm@10% PER 11M: -93dBm@8% PER 6M: -92dBm@10% PER 1M: -96dBm@8% PER
Wireless Functions	Multiple SSIDs (Up to 8 SSIDs) Enable/Disable Wireless Radio Automatic Channel Assignment Transmit Power Control (Adjust Transmit Power on dBm) QoS(WMM) Rate Limit Reboot Schedule Wireless Schedule Wireless Statistics based on SSID/AP/Client Captive Portal Authentication Access Control Wireless MAC Address Filtering Wireless Isolation Between Clients
Wireless Security	SSID to VLAN Mapping Rogue AP Detection 802.1X Support 64/128/152-bit WEP / WPA / WPA2-Enterprise,WPA-PSK / WPA2-PSK
Transmission Power	CE: ≤19dBm(EIRP) FCC: ≤21dBm
	HARDWARE FEATURES
Interface	Fast Ethernet (RJ-45) Port *1 (Support Passive PoE)



Vaš izbrani izdelek.

Button
Power Supply
Power Consumption
Dimensions
Antenna Type
Mounting

HARDWARE FEATURES

Reset
24V Passive PoE (+4,5pins; -7,8pins. PoE Adapter Included)
2.8W
7.5×6.8×1.2 in.
(189.4×172.3×29.5mm)
Internal 2* 4dBi Omni
Ceiling /Wall Mounting (Kits included)